


1181

HSSCO (8%)



Avance/feed	P				M		K			N				S		H		
	<800	<1.000	<1.200	<1.400	<950	<1.200	<500	<800	<1.400	Al	Cu	Mg/Zn	Plastic	Ni	Ti	50 HRC	55 HRC	60 HRC
			● 8-10	● 6-8										● 4-7		● 4-6		
Ø2			0,01-0,04	0,01-0,04										0,01-0,03		0,02-0,03		
Ø5			0,04-0,09	0,04-0,09										0,03-0,05		0,05-0,07		
Ø10			0,09-0,18	0,09-0,18										0,06-0,10		0,09-0,13		
Ø15			0,12-0,28	0,12-0,28										0,10-0,14		0,14-0,18		
Ø20			0,14-0,33	0,14-0,33										0,16-0,20		0,18-0,22		

Vc (m/min). ● Optima / Optimun ○ Alternativo / Alternative



△	Ø mm	L mm	l mm	Icon
2	10	190	90	1
2	11	190	90	1
2	12	190	90	1
2	13	190	90	1
2	14	190	90	1
2	15	190	90	1
2	16	190	90	1
2	17	190	90	1
2	18	190	90	1
3	19	225	105	1
3	20	225	105	1
3	21	225	105	1
3	22	225	105	1

△	Ø mm	L mm	l mm	Icon
3	24	225	105	1
3	25	225	105	1
3	26	225	105	1
4	27	265	120	1
4	28	265	120	1
4	30	265	120	1
4	32	265	120	1
4	35	265	120	1
4	36	265	120	1
4	40	265	120	1
4	45	265	120	1
5	50	340	150	1