

2215

HSSE-PM DIN 376

A>12%

M
DIN 13

Form.
C





Tol.
6GX


1,5XD

D

TIN+

P				M		K			N				S		H		
<800	<1.000	<1.200	<1.400	<950	<1.200	<500	<800	<1.400	Al	Cu	Mg/Zn	Plastic	Ni	Ti	50 HRC	55 HRC	60 HRC
● 15-45	● 15-25			● 10-25					● 15-40	● 15-30	● 20-40			○ 10-20			

Vc (m/min). ● Optima / Optimun ○ Alternativo / Alternative



Ø	P	L mm	l mm	 mm	d mm
M12,0	1,75	110	18	7,00	9,0



Aceros
Aciers
Steels
Stähle



Aceros Inox
Aciers Inox
Stainless Steels
Edelstahl



Fundicion
Fonte
Cast Iron
Gusseisen



Metales no ferrosos
Métal non Ferreux
Non Ferrous metals
NE-Metalle



Titanio y Superalaciones
Titaneum et Supealliages
Titanium and Superalloys
Titan und Superlegierungen



Materiales Duros
Materiels Durs
Hard materials
Hartmaterialien