

2411

HM-MD

M-MF



DIN 6535
HA
h6

TIALCN

P				M		K			N				S		H		
<800	<1.000	<1.200	<1.400	<950	<1.200	<500	<800	<1.400	Al	Cu	Mg/Zn	Plastic	Ni	Ti	50 HRC	55 HRC	60 HRC
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	○
120-200	100-140	80-120	70-110	90-180	70-120	120-180	100-150	80-120	200-900	60-150	100-140	70-170	50-80	30-80	60-100	30-60	20-40

Vc (m/min). ● Optima / Optimun ○ Alternativo / Alternative



M	P		d mm	D mm	z	l mm	L mm
M2,0	0,40	1,5xD	4	1,50	3	3,40	50
M2,0	0,40	2,0xD	4	1,50	3	4,60	50
M2,5	0,45	1,5xD	4	1,90	3	4,27	50
M2,5	0,45	2,0xD	4	1,90	3	5,62	50
M3,0	0,50	1,5xD	4	2,30	3	5,25	50
M3,0	0,50	2,0xD	4	2,30	3	6,75	50
M4,0	0,70	1,5xD	4	3,00	3	7,35	50
M4,0	0,70	2,0xD	4	3,00	3	8,75	50
M5,0	0,80	1,5xD	4	3,80	3	8,40	50
M5,0	0,80	2,0xD	4	3,80	3	10,80	50
M6,0	1,00	1,5xD	6	4,50	3	10,50	63
M6,0	1,00	2,0xD	6	4,50	3	13,50	63
M6,0	1,00	2,5xD	6	4,50	3	16,50	63
M8,0	1,25	1,5xD	6	6,00	3	14,37	63
M8,0	1,25	2,0xD	6	6,00	3	18,12	63
M8,0	1,25	2,5xD	6	6,00	3	21,87	63
M10,0	1,00	2,0xD	8	8,00	4	17,50	63
M10,0	1,50	1,5xD	8	7,50	3	17,25	63
M10,0	1,50	2,0xD	8	7,50	3	21,75	76
M10,0	1,50	2,5xD	8	7,50	3	27,75	76
M12,0	1,75	1,5xD	8	8,00	3	20,12	76
M12,0	1,75	2,0xD	8	8,00	3	27,12	76
M12,0	1,75	2,5xD	10	9,00	3	32,37	100
M14,0	1,50	2,0xD	10	10,00	4	23,25	76
M14,0	2,00	2,0xD	10	10,00	3	31,00	100
M14,0	2,00	2,5xD	10	10,00	3	37,00	100
M16,0	1,50	2,0xD	12	12,00	5	29,25	83
M16,0	2,00	2,0xD	12	12,00	4	35,00	100
M16,0	2,00	2,5xD	12	12,00	4	43,00	100
M20,0	1,50	2,0xD	16	16,00	6	35,25	100
M20,0	2,50	2,0xD	14	14,00	4	43,75	100
M20,0	2,50	2,5xD	16	15,00	4	53,75	120
M24,0	3,00	2,0xD	16	16,00	3	52,50	100
M24,0	3,00	2,5xD	18	18,00	3	64,50	120